

**bildtec.**

SOLUTIONS FOR TOMORROW'S BUILDER

## SLIDING DOOR SYSTEMS

**SCRIGNO®**



Scrigno's story started out in 1989, when Rimini businessman Giuseppe Berardi came up with the brilliant idea of transforming conventional sliding doors into a product that was quite original and different, unlike anything the market of the time was able to offer, adding a vital element to create an innovative sliding door that disappeared into the wall.

Thanks to the absolute quality of its products and services, over the last 25 years Scrigno has managed to conquer a primary position in the production and marketing of frames for sliding disappearing doors and windows, and it has now become a firmly established group that is a point of reference in its sector at a worldwide level.

Scrigno's production output includes frames for doors and windows, sliding and swing doors and a variety of accessories offering innovative solutions to save space in homes and other buildings.

The product ranges consists in three lines: Scrigno Gold, the top of the range; Essential by Scrigno, characterized by its minimalist design; and Doortech, the no-brand line of sliding door frames for interior use developed specifically for large-scale construction projects and professional applications in general.

Each of these three lines is able to satisfy the specific needs of the market, both for product types and price.



## Research and Development

Scrigno's guiding principle is extremely high product quality, and over the years this has been constantly improved to allow increasingly higher standards of absolute excellence to be achieved.

Innovation is therefore a vital factor for the company, emerging in constant improvements in the choice of materials and assembly processes, aiming to explore new manufacturing horizons that are always new and different.

Scrigno is committed to a continuous and attentive dialogue with designers and architects, to ensure that the continuously evolving needs of the market are satisfied with the best and widest variety of products.





## *Pre-drilled base*

The lower base is pre-drilled for fitting of the guide stub, so that the door can disappear completely into the metal box.

The stub can also be adjusted in height for optimal door position using the spacers supplied with the frame.

The possibility of perfect door fitting is yet another important advantage for installers.



## *The sliding system*

Composed of a track in anodized aluminium and a pair of hangers with a supporting capacity of 120 kg for each door, guaranteed to give long use.

Each hanger has four wheels with a diameter of 27 mm, all running on ball bearings and complete with protection covers, ensuring easy sliding with the minimum force.

Lateral play between the track and the hanger is reduced to a minimum, giving constantly straight sliding movements.

Vertical play is also reduced, with wheels that project with respect the steel body, eliminating all problems of sway on doors.

## *The adjustable end stop*


Fitted with a screw to adjust attachment height on the track, giving perfect suspension of the door when closed, regardless of door dimensions and weight.



## *The door suspension bracket*

Allows door position to be adjusted transversally, and together with the vertical adjustment of the hangers, guarantees constantly optimal door fitting.

Maintenance operations are also simplified, given that the door can be removed and reassembled from either side. For installers this means optimal installation and easier door removal and replacement. For users, this means trouble-free maintenance when required.



## *Protective film*

Applied on the visible part of the guide to prevent against possible dirtying with mortar or other materials, impairing smooth operation. This is a useful precaution to help installers do their work with the greatest success.

# BASE

## **Sliding Pocket Door System**

Includes frame and hanging kit

Can be used for both single and double doors

Available for both wood and glass doors

Single Wall Installation

4 Screw fastening system

Frames available in 100mm and 125mm

Available Heights (mm): 2100 H and 2400 H (special order up to 2600)

Available Width (mm): 600, 700, 800, 900, 1000, 1200, 1400, 1600, 1800 (Please contact us for special sizing)

## **Metal Box includes:**

2 spacers to be slotted into the frame during installation

2 pieces of overlapping Alluzinc (lifetime guarantee on corrosion)

Side of metal box has vertical corrugations 100mm apart for greater rigidity

Horizontal profile sections made in galvanized steel with a thickness of 0,6 mm

## **Sliding System Composed Of:**

An aluminium track, with PVC side profile sections extending to the thickness of the finished wall


Crosspiece fixed by pre-fitted pins

A kit hanger with ball bearings - supporting capacity 120 kg

Hangers complete with fasteners, suspension brackets and an endstop for fitting the door panel.



Base Single



Base Double

# ESSENTIAL

## Frameless Sliding Pocket Door System

Flush Finish

Includes frame, system and hanging kit

Can be used for both single and double doors

Essential single and double available for both wood and glass doors

Essential trial available for glass doors only

Single Wall Installation

4 Screw fastening system

Frames available in 100mm and 125mm

Available height for single and double system (mm): 2100 and 2400 (special order up to 2600)

Available width for single system (mm): 600, 700, 800, 900 (Please contact us for special sizing)

Available width for double system (mm): 1200, 1400, 1600, 1800, 2000, 2200, 2400 (Please contact us for special sizing)

Available width for trial system (mm): 1650, 1800, 1950, 2100, 2250, 2400, 2550, 2700, 2850 (Please contact us for special sizing)

### Metal Box includes:


2 spacers to be slotted into the frame during installation

Sheet metal covered with Aluzinc for anti-corrosion (aluminum zinc and silicon)


### Sliding System Composed Of:

Anodized aluminium track, with PVC side profile sections extending to the thickness of the finished wall


Pair of hangers included - supporting capacity of 120 kg



Essential Single




Essential Double



Essential Double

# The Shower Solution

## Practicality and Design Aesthetic



Presenting the first shower cubicle door that slides effortlessly into the wall.

This new product guarantees extreme functionality and purity of design, and was specifically developed for use in floor-level walk-in showers without a conventional shower tray. A special floor accessory protected by our exclusive patent offers new opportunities to use Essential frames free from exposed mechanisms and architectural barriers.

This accessory allows water to drain away easily, preventing overflows, and fits conveniently into any floor to perfectly match any style of tiling chosen.

The accessory cover can also be removed at any time for easy access to drainage pipes for cleaning and maintenance.

Essential frames are made from Aluzinc, which combined with a special modular construction technique gives the product a lifetime guarantee against perforations caused by corrosion.


Detail of the steel and aluminum floor accessory. The product is covered by an exclusive Scigno patent and can be installed only in conjunction with the essential frames, in the lower section.




### Accessibility Without Barriers

The Essential shower solution ensures easy access for everyone with difficulties of any kind in entering and using a conventional shower cubicle, due to either the presence of the shower tray or to the space needed for the opening of a normal swing door, in addition to all the other advantages offered by a disappearing sliding door.

This solution is available for openings up to 1200mm, and can also be combined with other options such as the special Slow Glass system, designed to ensure slow and gentle closure of glass doors.



Conventional solution with shower tray and swing door



Essential: the shower solution  
Innovative and free of architectural barriers

# DOORTECH

## **Sliding Door System**

Includes frame, system, jambs and hanging kit

Can be used for both single and double doors

Available for both wood and glass doors

Single Wall Installation

4 Screw fastening system

Frames 125mm

Available in 2100 H and 2400 H (special order up to 2600)

Available Width: 600, 700, 800, 900, 1000, 1200, 1400, 1600, 1800 (Please contact us for special sizing)

## **Metal Box includes:**

2 spacers to be slotted into the frame during installation

Structural metal box made from galvanized steel

Metal box thickness 0,5mm on sides and rear profile section

0,8mm on the top and bottom of the profile sections

Side of metal box made from a single piece of sheet steel

Side of metal box has vertical corrugations 100mm apart for greater rigidity

Horizontal profile sections made in galvanized steel with a thickness of 0,6 mm

## **Sliding System Composed Of:**

An aluminium track, with PVC side profile sections extending to the thickness of the finished wall


Crosspiece fixed by pre-fitted pins

A kit hanger with ball bearings - supporting capacity 120 kg

Hangers complete with fasteners, suspension brackets and an endstop for fitting the door panel.



/ Doortech Single /



/ Doortech Double /

# DOORKIT

## **Sliding Pocket Door System**

Includes frame, system, jambs and hanging kit

Can be used for both single and double doors

Only available for wood doors

Single Wall Installation

4 Screw fastening system

Frames 125mm

Available in 2100 H

Available Width: 600, 700, 750, 800, 900, 1200, 1400, 1600, 1800 (Please contact us for special sizing)

### **Includes:**

Sliding track with pre-press measurements

Spring for hookup (ensures desired measurement with one click)

Grooved upright - 0.8mm sheet metal

Side brackets

Supports for upper fixing

Sliding system - load capacity of 80 kg

Frontal profile bar - special shape with double reinforcement bend and sheet metal 1.2mm thk

Wooden spacer with pre-printed measurements

Lower profile bar - pre-drilled with holes to fit the floor guide

# Doorkit

For Wood Doors



Doorkit Single



Doorkit Double

# **EXTERNAL WALL SLIDING DOOR SYSTEMS**

## **Sliding Pocket Door System**

Includes hanging kit

Can be used for both single and double doors

Available for glass doors only

Easy to assemble, adapting perfectly to all closure needs.

No drilling of holes needed to hang glass

Options with hidden clips and exposed clips available



/ Door Height With Hidden Clips /



/ Ceiling Height With Hidden Clips /



/ Ceiling Height With Fixed Glass Panel and Hidden Clips /




/ Ceiling Height With Exposed Clips /




/ Door Height With Exposed Clips /

**Traditional Solution**




**Kitchen**

**Bildtec Solution**




**Kitchen**  
**Additional Seating Area**

**Traditional Solution**



**Bathroom**

**Bildtec Solution**



**Bathroom**  
**Full Bathtub**

**30 SQ FT. OF SPACE GAINED PER DOOR**

Increased Sellable Square Footage Per Suite

# bildtec.

SOLUTIONS FOR TOMORROW'S BUILDER

**bildtec.ca**

**Technical Showroom:** 345 Horner Avenue, Suite 100, Toronto On, M8W 1Z6  
**Designer Lifestyle Showroom:** 146 Dupont St, Toronto On, M5R 1V4  
T/ 416 252 6165 Ext 124 F/ 416 252 2620 E/ [info@bildtec.ca](mailto:info@bildtec.ca)